



Modsel Barouches & Accessories



Mar 2022

 **MODSEL**
nursing made easier

Contact: Chris Lee
Product Specialist
0476 777 767
clee@surmed.com.au

Distributed in SA by



SURGICAL AND MEDICAL SUPPLIES PTY LTD
16 Kensington Road Rose Park SA 5067
Telephone: (08) 8332 1666 Fax: (08) 8332 5132
Email: sales@surmed.com.au
Website: www.surmed.com.au



Stretchers

Our range of stretchers and accessories are designed through direct feedback from healthcare professionals and manufactured locally by us, to ensure you receive a quality product that enables you to deliver the most efficient and effective patient care. We will build exactly what works best for your requirements.

Some of the key areas we can help you in; [Emergency stretcher beds](#), [Theatre trolleys & Day stretchers](#), [general purpose stretchers](#), [Bariatric stretchers](#), [dropside options](#) & [stretcher accessories](#).

Click on the images on the next 4 pages to go on-line for information & videos (if available).

Or click on the product name to go to the specification page in this document.

General Purpose



Contour Exami

General Purpose



Contour Jazz

General Purpose



Contour Portare

General Purpose



Contour Classic

Bariatric



Contour Barituff

General Purpose



Contour Deluxe

Emergency



Contour Heli-Transfer

Trauma



Contour Portare-X

Trauma



Contour Multi-X

Bariatric Trauma



Contour Barituff-X

Endoscopy



Contour Endosurge

Endoscopy



Contour Endo-X

Day Surgery




Contour E-Vertex

Mortuary



Contour Conceal

Accessories



Stretcher Mattress



Premium Stretcher
Mattress



Orbit-Drive



Dropside Options



Stretcher IV Poles



Oxy Holders



Dropdown Push Handles



Document Holder



End Rail



End Board



Dropdown Foot Board



Folding Monitor Board



Folding Monitor-Foot Board



Weigh Scales



Stretcher Colour Options



Dropside Padding





Meal Tray

These accessories are the most commonly requested. Ask if there is something else you need.

Options

Most models are available as:

- Longer or shorter than standard.
- Wider or narrower than standard.
- Longer and wider than standard.
- Shorter and narrower than standard (Paediatric).



Custom decals to label your barouches.
Ask for details.



Contour Exami

An economical, customisable, easy to move examination table available with or without dropsides.



Features

- Unique medical patient examination table
- Standard mains power electric operation
- Includes 100mm fluid proof Protran mattress
- Electric backrest that raises to 85 degrees
- 15° head and foot down Trendelenburg
- 400 to 830mm height range
- 300kg safe working load
- 2135 x 815mm overall with 965mm wide option
- 125mm twin wheel castors, 4 brakes and 1 steer
- * Feature image shown with optional dropsides
- A range of options including dropsides, base cover, battery back-up with cable retractor, larger castors and 7 endrail colours
- MADE IN AUSTRALIA

Contour Exami



Without dropsides

If you require a patient examination table, then this is worth considering. The standard Contour Exami without dropsides gives all the same functionality as an examination table, however has the additional value of colour choices and accessory mounting, while being very easy to move and reposition as required.



Excellent high height

Don't strain your back, raise a patient up to your best working height. Lifting the platform height up to 830mm (plus an extra 100mm for the mattress pad thickness), helps you to examine and treat your patient without having to stoop over, ensuring easy access and less stress. The backrest travels from 0 to 85 degrees with emergency CPR quick release option available.



Customise it your way

Upgrades such as wider top, dropsides, base cover, colours and accessories. This is a very flexible platform with excellent customisation available. Change the standard Contour Exami from a basic examination table into an economy patient stretcher.



Ultra-low height

Make it easier and safer for patients to get on and off. The 400mm low platform height of this table takes away the requirement to use step stools or unnecessary heavy lifting. Sit and position your patient comfortably and then raise them to the desired work height with the touch of a button.



Head and foot tilt

A generous 15 degrees top tilt both directions. Position a patient how you need them or quickly lower their head down (and feet up) in an emergency.



Go anywhere

Change from the standard 125mm twin to 175mm single castors for situations such as outdoor. If there is a requirement to wheel over rougher concrete, sand or grass terrains, this option gives larger diameter rubber wheels with 50mm extra ground clearance under the stretcher.

Summary

This patient platform is typically used in a wide range of areas such as medical clinics, examination rooms, schools, prisons and mining sites. Helping patients on and off an examination table is easy and safe with a design that allows the mattress platform down to 400mm, lower than a standard office chair height! Uniquely, these stretcher examination tables are designed to be easily moved around and re-positioned due to their light-weight build and large castors. There are a range of accessories and customisations available to ensure the unit is designed to be priced and configured best to practically fit into your modern facility.

Product Code

- Contour Exami (without dropsides); MPT-C-EXAMI
- 150mm wider top; MPT-CXA-WT
- Dropsides; MPT-CXA-5RD
- Base cover with storage; MPT-CXA-BC
- Battery backup; MPT-CXA-BB
- CPR backrest release; MPT-CXA-BQR
- 175mm large castor option; MPT-CXA-175

Contour Jazz

A transport and recovery stretcher with enhanced patient safety, creating life and fun in a challenging environment.



Features

- Economical transfer trolley for ED, Theatre and Day Surgery
- E-Point steering system
- Emergency CPR backrest release
- Includes foot end board
- Includes 16 riser dropsides folding from foot to head
- 15° head and foot down Trendelenburg
- 300kg safe working load
- 400 - 830mm height range
- 150mm twin wheel castors
- 2135 x 815mm overall size
- Fully electric operation with knee break
- MADE IN AUSTRALIA

Contour Jazz



Ultra-low height

Very safe and easy for patients to get on and off.

The 400mm low platform height of this table takes away the requirement to use step stools or unnecessary heavy lifting. Sit and position your patient comfortably and then raise them to the desired work height with the touch of a button.



Jungle Theme



Space Theme

Summary

Keeping patients safer on a general purpose stretcher has never been this easy with a design that allows the mattress base down to 400mm, lower than a standard office chair height!

Transport must always be considered and with our new E-Point system, a strong grip with the floor and solid, perfectly centred steer wheel ensures the stretcher always accurately tracks and turns. This Modsel stretcher is designed for department areas such as emergency, theatre and day surgery and is available in a range of fun and colourful themes.

Contour Portare

An all-purpose electric transport and recovery stretcher where Modsel design meets budget constraints.



Features

- Economical transfer trolley
- E-Point steering system
- Emergency CPR backrest release
- 15° head and foot down Trendelenburg
- 300kg safe working load
- 400 - 830mm height range
- Fully electric operation
- 150mm twin wheel castors
- 2135 x 815mm overall size
- 965mm wide top option
- Dropside handrail PVC upgrade option
- Includes foot end rail & electric knee break
- Choice of 7 dropside armrest/end rail colours for easy identification
- MADE IN AUSTRALIA

Contour Portare



Ultra-low height

Very safe and easy for patients to get on and off.

The 400mm low platform height of this table takes away the requirement to use step stools or unnecessary heavy lifting. Sit and position your patient comfortably and then raise them to the desired work height with the touch of a button.



Head and foot tilt

A generous 15 degrees top tilt both directions.

Position a patient how you need them or quickly lower their head down (and feet up) in an emergency.



E-Point steering

A perfectly centred steer wheel ensures the stretcher always accurately tracks and turns.

Operated by a very light touch pedal action, this wheel positively pre-loads onto the floor to ensure strong grip and rides up and down effortlessly over bumps and hollows to keep traction. Turning left or right from either end gives the same steering result.



Excellent high height

Preserve your back and raise a patient up to your best working height.

Lifting the platform height up to 830mm (plus an extra 100mm for the mattress pad thickness), helps you to examine and treat your patient without having to stoop over, ensuring easy access and less stress. The backrest travels from 0 to 85 degrees with emergency CPR quick release.



Easy customisation

Increase top width, change colours, mattress and dropside styles.

Whether it is a specialised medical clinic or a department in a large hospital, every single customer has their own unique requirements to be able to function safely and efficiently. This stretcher has a longer, 7 riser PVC upgrade dropside.



Foot end rail

If no other end accessory is required, this is supplied standard for a convenient push handle and mattress support.

Summary

Helping patients on and off a general purpose stretcher has never been this easy or safe with a design that allows the mattress base down to 400mm, lower than a standard office chair height!

Transport must always be considered and with our new E-Point system, a strong grip with the floor and solid, perfectly centred steer wheel ensures the stretcher always accurately tracks and turns. We are now able to bring Modsel stretcher design into department areas such as emergency, theatre and day surgery at our most affordable price ever, helping to meet tighter budget constraints and maximising the number of working units available.

Product Code

- Contour Portare; MPT-C-PE2
- 150mm Wider Top; MPT-CA-WCT
- PVC Dropside upgrade; MPT-CA-CP-PPVC

Contour Classic

The most flexible custom design platform available for a transport and recovery stretcher.

Features

- Fully customisable stretcher
- A variety of dropside options
- Emergency CPR backrest release
- 15° head and foot down Trendelenburg
- Electric and hydraulic versions available
- 300kg safe working load
- Electric height ranges: from 440 - 810 (std) up to 540 - 910mm
- Hydraulic height ranges: 530 - 760, 565 - 830 (std) or 630 - 960mm
- 200mm castors and Ezi-Trak 5th wheel steering
- 2135 x 815mm overall size
- 705 narrow and 965mm wide top options
- Includes foot end rail & electric knee break
- Choice of 7 dropside armrest/end rail colours for easy identification
- MADE IN AUSTRALIA


Product Code

- Electric - MPT-C-CE
- Hydraulic - MPT-C-CH

Summary

The most flexible platform of all our stretcher range. The twin column design allows for several height range choices - we can build in a low height range for patient egress care or higher height ranges for better equipment or surgeon access with less strain during procedures.

Tailor make the Contour Classic with shorter, longer, narrower and wider top sizes and select from a range of dropside styles to suit specialised procedures or the patient type you are working with. To simply put it, there is a high level of customisation possible with many accessory mounting options and solutions.



Foot end rail



Hydraulic option



Suitable for Endoscopy
Suitable for C-Arm use
(hydraulic model only)

Contour Barituff

A 500kg SWL extra-wide electric stretcher designed for Bariatric patients.

Features

- 500kg SWL Bariatric stretcher
- 2135mm long x 1100mm extra-wide top
- Emergency CPR backrest release
- 15° head and foot down Trendelenburg
- Electric height range: 470 - 850mm
- 110mm and 150mm thick bariatric mattress options
- 980mm wide x 1900mm long mattress
- 150mm twin wheel castors
- X-ray top, weigh scale and powered drive options available
- Choice of 7 dropside armrest/end rail colours
- Includes foot end rail & electric knee break
- MADE IN AUSTRALIA

Product Code

- MPT-C-BE

Summary

Having equipment that is robust enough, that you can completely rely on, is the greatest challenge when caring for Bariatric patients. The Contour Barituff has increased componentry strength in the core frame design and operates with higher capacity columns to safely lift 500kg without overload.

The stronger and wider top comfortably caters for large patients, with a choice of mattress styles available to suit the type of departmental use. Stretcher stability is assured through an increased base size. Powered drive and weigh scales can be included to genuinely reduce manual handling risks to the carer.

This stretcher has been built for Bariatric patients.



Foot end rail

Contour Deluxe

A transport stretcher featuring glide away siderails with zero transfer gap.

Features

- Full length gas assisted siderails
- Siderails are fully welded stainless steel
- Emergency CPR backrest release
- Electric and hydraulic versions available
- 300kg safe working load
- Electric height range: 570 - 940mm
- Hydraulic height range: 630 - 960mm
- 200mm castors and Ezi-Trak 5th wheel steering
- 2135 x 815mm overall size
- 965mm wide top option
- X-ray subtop option
- Choice of 7 end rail colours for easy identification
- MADE IN AUSTRALIA

Product Code

- Electric - MPT-C-DE
- Hydraulic - MPT-C-DH


Summary

Safely transfer patients with a zero transfer gap created by siderails that glide down under the top, leaving no obstruction on the side of the stretcher. a Gas assistance ensures they are always light and easy for the operator and there is quick access with release catches on both ends.

Provide a greater level of support with these extra a length siderails featuring horizontal bars and reduced gaps. Built for a lifetime, the fully welded a and polished stainless steel construction leaves no risk of coatings to chip and rust, creating infection a hazards or strength reduction.



Hydraulic option



Contour Heli-Transfer

A stretcher designed to reduce helicopter patient transfer effort outdoors.

Features

- Flat stretcher top with tie down straps and gap bridge
- Fully customised top surface option to suit special purpose
- Can be supplied with or without dropsides
- Standard without backrest, Emergency CPR backrest available
- 15° head and foot down Trendelenburg
- Electric and hydraulic versions available
- 300kg safe working load
- Electric height ranges: 440 - 810 (std) or 530 - 900mm
- Hydraulic height ranges: 530 - 760, 565 - 830 (std) or 630 - 960mm
- 200mm castors and Ezi-Trak 5th wheel steering
- 2135 x 815mm overall size with 705mm narrow and 965mm wide top options
- Choice of 7 dropside armrest/end rail colours for easy identification
- MADE IN AUSTRALIA

Product Code

- Electric - MPT-C-HE
- Hydraulic - MPT-C-HH

Summary

Safely and easily move a helicopter stretcher across onto this transfer stretcher, a platform designed to minimise effort whilst transporting patients over rougher outdoor surfaces. After benefiting from the smooth, flat bridge that lines up with the helicopter door, rapidly fasten the helicopter stretcher securely down with the four quick pull straps.

Reduce the trauma to patients and babies in cribs and the workload for carers whilst transferring via the large diameter castors and very stable stretcher.



Hydraulic option



RACQ Life Flight



Westpac



Pediatric transport

Contour Portare-X

An ultra-low electric trauma stretcher with totally unobstructed x-ray clearance.



Features

- Economical trauma stretcher
- E-Point steering system
- Emergency CPR backrest release
- 15° head and foot down Trendelenburg
- Unique InfineX x-ray system option
- 300kg safe working load
- 430 - 880mm height range
- Fully electric operation
- 150mm twin wheel castors
- 2135 x 815mm overall size
- 965mm wide top option
- Dropside handrail PVC upgrade option
- Includes foot end rail & electric knee break
- Choice of 7 dropside armrest/end rail colours for easy identification
- MADE IN AUSTRALIA

Contour Portare-X



Unobstructed x-ray tunnel

100% x-ray clearance of the entire body. Supported by just four outside corners, our unique patented InfineX system gives total freedom of movement for x-ray cassettes - even with an electric backrest! There are two styles available, another that allows the backrest to raise separately to the lower cassette support surface.



Easy customisation

Increase top width, change colours, mattress and dropside styles.

Every trauma department has their own unique requirements to be able to function safely and efficiently. This stretcher has a longer, 7 riser PVC upgrade dropside.



Head and foot tilt

A generous 15 degrees top tilt both directions.

Position a patient how you need them or quickly lower their head down (and feet up) in an emergency.



Foot end rail

If no other end accessory is required, this is supplied standard as a convenient push handle and mattress support.



Ultra-low height

Safer and easier for unwell patients to get on and off.

The 430mm low platform height of this table takes away the requirement to use step stools or unnecessary heavy lifting. Sit and position your patient comfortably and then raise them to the desired work height with the touch of a button.



Excellent high height

Quickly raise a patient up to the best working height.

Lifting the platform height up to 880mm helps you to examine and treat your patient without having to stoop over, ensuring easy access and less stress. The backrest travels from 0 to 85 degrees with emergency CPR quick release.



E-Point steering

A perfectly centred steer wheel ensures the stretcher always accurately tracks and turns.

Operated by a very light touch pedal action, this wheel positively pre-loads onto the floor to ensure strong grip and rides up and down effortlessly over bumps and hollows to keep traction. Turning left or right from either end gives the same steering result.



Cassette holder options

Holders can be produced with single or double sided handles and any depth or shaped rebates to suit all of the unique cassette sizes in use today

Summary

Helping patients on and off a trauma stretcher is safer and easier when the bed can be lowered down to 430mm, around the standard office chair height! This stretcher can feature our unique InfineX* system which allows totally unobstructed head to toe clearance for effortless and efficient x-ray cassette positioning. Smoothly moving patients helps improve their experience and our E-Point steering delivers a strong grip with the Door with a solid, perfectly centered wheel so the stretcher always accurately tracks and turns. Emergency departments feature enough trauma. The Modsel x-ray stretchers are designed to be a reliable, cost effective performer, no matter what the shift brings.

*Patent pending.

Product Code

- MPT-C-PEX
- 150mm Wider Top; MPT-CA-WCT
- PVC Dropside upgrade; MPT-CA-CP-PPVC
- X-Ray Cassette Holder; MPT-CA-XCH-D



Custom cassette holder for a 460 x 385mm digital X-Ray cassette

Contour Multi-X

A trauma x-ray stretcher with ability to custom design and build to adapt to any emergency system.



Features

- Fully customisable x-ray trolley
- A variety of dropside options
- Emergency CPR backrest release
- 15° head and foot down Trendelenburg
- Electric and hydraulic versions available
- 300kg safe working load
- Electric height ranges: 545 - 915 (std) or 625 - 995mm
- Hydraulic height ranges: 630 - 860, 665 - 930 (std) or 730 - 1060mm
- 200mm castors and Ezi-Trak 5th wheel steering
- 2135 x 815mm overall size
- 705 narrow and 965mm wide top options
- Includes foot end rail & electric knee break
- Choice of 7 dropside armrest/end rail colours for easy identification
- MADE IN AUSTRALIA

Contour Multi-X



Foot end rail

If no other end accessory is required, this is supplied standard for a convenient push handle and mattress support.



Cassette holder options

Holders can be produced with single or double sided handles and any depth or shaped rebates to suit all of the unique cassette sizes in use today

Summary

This stretcher allows our unique InfineX* tracking which gives totally unobstructed head to toe clearance for effortless and efficient x-ray positioning, with an electric backrest that can raise separately to the cassette support surface. We can help you get the most out of your expensive x-ray systems by building to suit the brand and equipment in use. Tailor make the Contour Multi-X with height range choices and shorter, longer, narrower or wider top sizes. Put safety first and select from a range of dropside styles to suit the department requirements. There is a high level of customisation possible on these Modsel trauma stretchers with many accessory mounting options and solutions.

*Patent pending.



Hydraulic option

Non-powered, manually operated stretcher option.

In some cases, such as small or remote facilities, or large high pressure departments, hydraulically operated stretchers may be more beneficial, with simple mechanical servicing and without the requirement of regular charging or power cords.



Product Code

- Electric - MPT-C-XE-EB
- Hydraulic - MPT-C-XH
- X-Ray Cassette Holder; MPT-CA-XCH-D



Custom cassette holder for a 460 x 385mm digital X-Ray cassette

Contour Barituff-X

A 500kg SWL extra-wide electric trauma stretcher designed for Bariatric patients.

Features

- 500kg SWL Bariatric stretcher with full body x-ray top
- 2135mm long x 1100mm extra-wide design
- Emergency CPR backrest release
- 15° head and foot down Trendelenburg
- Includes foot end rail & electric knee break
- Electric height range: 600 - 980mm
- 110mm and 150mm thick bariatric mattress options
- 980mm wide x 1900mm long mattress
- 150mm twin wheel castors
- Weigh scale and powered drive options available
- Choice of 7 dropside armrest/end rail colours
- MADE IN AUSTRALIA

Product Codes

- MPT-C-BEX
- X-Ray Cassette Holder; MPT-CA-XCH-D

Summary

Having equipment that is robust enough, that you can completely rely on, is the greatest challenge when caring for Bariatric patients. The Contour Barituff-X has increased componentry strength in the core frame design and operates with higher capacity columns to safely lift 500kg without overload.

The stronger and wider top comfortably caters for large patients, with a choice of mattress styles available to suit the type of departmental use. Stretcher stability is assured through an increased base size. Powered drive and weigh scales can be included to genuinely reduce manual handling risks to the carer.

This stretcher has been built for Bariatric patients.



Foot end rail



Cassette holder options



Custom cassette holder for a 460 x 385mm digital X-Ray cassette

Contour Endosurge

An endoscopy imaging stretcher with a sliding top for quick and easy patient positioning.

Designed for C-Arm use



Features

- Sliding top and cut-away base cover
- 400mm slide; 140mm to head and 260mm to foot from centre
- Split dropside option (shown) and mid-position catch upgrades
- Emergency CPR backrest release
- 15° head and foot down Trendelenburg
- Electric and hydraulic versions available
- 300kg safe working load
- Electric height ranges: 570 - 940mm
- Hydraulic ranges: 530 - 760, 565 - 830 or 630 - 960mm (std)
- 200mm castors and Ezi-Trak 5th wheel steering
- 2135 x 815mm overall size
- 705 narrow and 965mm wide top options
- Includes foot end rail & electric knee break
- Choice of 7 dropside armrest/end rail colours for easy identification
- MADE IN AUSTRALIA

Contour Endosurge



Slide to head

Unlock and move the top 140mm towards the head end from centre position.

Release the top lock and easily slide the stretcher top back or forwards to position your patient without having to significantly move the heavy C-arm imaging camera.



Slide to foot

Unlock and move the top 260mm towards the foot end from the centre position.

Release the top lock and easily slide the stretcher top back or forwards to position your patient without having to significantly move the heavy C-arm imaging camera.



Hydraulic option

Non-powered, manually operated stretcher option.

In some cases, such as small or remote facilities, or large high pressure departments, hydraulically operated stretchers may be more beneficial, with simple mechanical servicing and without the requirement of regular charging or power cords.



Foot end rail

If no other end accessory is required, this is supplied standard for a convenient push handle and mattress support.



Summary

Take away the effort of re-positioning a heavy C-Arm X-Ray camera. For quick and easy movement of the patient, unlock the stretcher top and slide it a generous distance back or forwards.

Our aim is to provide more freedom and take strain off your backs. The cutaway base cover allows more clearance for the camera under the stretcher whilst bringing it closer to the floor for a lower working height.

Product Code

- Contour Endosurge Electric - MPT-C-EE
- Contour Endosurge Hydraulic - MPT-C-EH
- Split fold dropside option - MPT-CA-SDS

Contour Endo-X

The endoscopy imaging stretcher with a 'C' base for complete freedom of camera movement.

Features

- Increased column spacing with left or right hand chassis
- C shaped base for maximum camera clearance
- Emergency CPR backrest release
- 15° head and foot down Trendelenburg
- Split dropside option (shown) and mid-position catch upgrades
- 300kg safe working load
- Electric height range: 570 - 940mm
- 200mm large bearing castors
- 2135 x 815mm overall size
- 705 narrow and 965mm wide top options
- Choice of 7 dropside armrest/end rail colours for easy identification
- MADE IN AUSTRALIA

Product Codes

- Contour Endo-X - MPT-C-EX
- Split fold dropside option - MPT-CA-SDS

Summary

An increased distance between the lifting columns of this stretcher allows excellent coverage with the C-Arm X-Ray camera, avoiding the risks of re-positioning and moving patients during procedures.

Complete freedom of movement is also facilitated by the single rear bar joining the stretcher base, which creates ample space for the camera and leaves no restriction to the working height required by staff.

Designed for C-Arm use



Contour E-Vertex

A fully electric procedure stretcher with effortless head positioning and comfortable access.

Designed for head procedures



Features

- Infinitely adjustable, slimline headrest
- Touch button electronic headrest control
- Extremely stable, rigid locking headrest
- Smooth and gap free cushion platform
- 300kg safe working load
- Emergency CPR backrest release
- 15° head and foot down Trendelenburg
- Electric height range: 505 - 875mm
- 200mm castors and Ezi-Trak 5th wheel steering
- 2210 x 815mm overall with 965mm wide option
- Standard scalloped or flat headrest cushion option
- Removable wrist and pillow support accessories
- Includes foot end rail & electric knee break
- Choice of 7 hand rail colours for easy identification
- MADE IN AUSTRALIA

Contour E-Vertex



Slim and clean

The ultra thin design safely hides all mechanical operation and has a one-piece, gap free top surface for easy cleaning.



Effortless control

A clearly marked handset infinitely positions the headrest with the touch of a button.



Raise and lower

Adjust the height up and down while remaining level.




High tilt

Excellent raise height with up and down tilt adjustment.



Low tilt

A practical low height with up and down tilt adjustment.



Pillow Support option

Lightweight removable frame with cushions to help support a pillow during recovery



Wrist Support option

Coated, 280mm wide, height adjustable and removable rest



Fold-back design

The wrist support flips away to allow quick and easy access to the patient

Summary

A surgeon must be comfortable and completely sure of the supporting equipment used during delicate surgery procedures.

The extremely stable, rigid locking headrest on this stretcher is designed slimline with excellent leg clearance, bringing the patient close to help reduce back and neck strain whilst performing surgery. Quickly and safely position a patients head to exactly where it needs to be with our unique touch button, electric positioning system*. Choose between the standard scalloped head cushion or a flat surface for use with a gel ring and add specialised accessories to enhance surgical precision and patient support during recovery.

*International patents pending

Product Codes

- Contour E-Vertex; MPT-C-VE-E
- Wrist Support; MPT-CA-OWS
- Pillow Support; MPT-CA-CO-OSS
- Flat Headrest Cushion; MPT-CA-FHC

Contour Conceal

A robust concealment platform for mortuary transport and recovery.



Features

- Fully customisable concealment stretcher
- Flushfold dropsides for ease of patient transfer
- Smooth, one-piece, easy to clean patient surface
- Easily removable, heavy duty washable vinyl cover
- Full length access from both sides with support pole storage
- 300kg safe working load
- 2135 x 815mm overall size (1900 x 700mm patient surface)
- Narrow and wider top options
- Electric and hydraulic versions available
- Electric height ranges: from 440 - 810 (std) up to 540 - 910mm
- Hydraulic height ranges: 530 - 760, 565 - 830 (std) or 630 - 960mm
- 200mm castors and Ezi-Trak 5th wheel steering
- Power drive system option for easy transfer
- Choice of 7 end rail colours for special identification
- MADE IN AUSTRALIA

Contour Conceal



Clear access

Lift off the heavy duty washable vinyl cover with full length access from both sides. Store the cover supports on convenient hooks.



Power drive option

Include the unique Orbit-Drive system for zero effort transfer



Top width options

2135 x 705 narrow or 965mm wide top options (1900 x 590 or 850mm patient surface)



Hydraulic option

Choose manual height adjustment if electric operation is not required

Summary

A flexible platform for specialist transfer. The twin column electric or hydraulic design allows for several height range choices, and can be tailor-made with both narrower and wider top sizes. Simply lift off and fold the easy clean vinyl cover, then store the cover support poles in purpose built hooks under the top. The flushfold dropside style facilitates easy patient transfer. Add power drive for easy movement over distance. To simply put it, there is a high level of customisation possible for all solutions.

Product Code


- Electric - MPT-C-CCE
- Hydraulic - MPT-C-CCH

Stretcher Mattress

High grade mattress with excellent durability and pressure relieving comfort for patient stretchers.

Features

- Thicknesses that aid egress and imaging
- Protran mattress - single foam layer **(Rated for 2-4hr stays)**
- Premia mattress - 3 effective foam layers **(Rated for 4-6hr stays)**
- Premia Barituff mattress - 4 support layers **(Rated for 24hr stays)**
(110mm thick 60 - 350kg, 150mm thick 45 - 400kg therapeutic support loads)
- Welded 'double coated' stretch cover
- Non-slip base design
- Permanent care label
- New technology fluid proof zip (excludes 75mm mattress)
- MADE IN AUSTRALIA



Product Code

- 75mm Protran Mattress; MPT-CM-75-PTP
- 100mm Protran Mattress; MPT-CM-100-PTP
- 100mm Premia Mattress; MPT-CM-100-PRP
- 110mm Barituff Mattress; MPT-CM-110-PRB
- 150mm Barituff Mattress; MPT-CM-150-PRB

Mattress Size


- Standard; 680 W x 1900mm L
- Narrow; 570mm W x 1900mm L
- Wide; 830mm W x 1900mm L
- Barituff; 980mm W x 1900mm L

Mattress Shape

- Square Ends (electric stretcher)
- Truncated End (hydraulic stretcher)

Summary

The Contour Premia mattress has been designed to optimize patient weight capacity and comfort by using a selection of quality foam layers to help in both preventing patients from bottoming and pressure reduction. The Contour Protran mattress is recommended for short stay patients with a single medium density foam section to facilitate special patient transfers or clear imaging.



Pressure care design




Welded cover




Sealed zip



Care label




Pressure mapped



Protran

Premium Stretcher Mattress

High performance mattress with outstanding durability and patient support for demanding acute environments.



Features


- 5-layered high performance core with 40 - 300kg therapeutic support load
- Dual interface and central immersion regions with firm base support layer
- Integrated profile stabilizing sides and unique hinging system
- Double coated, welded polyurethane cover with fluid proof zip
- Superior 110mm mattress thickness
- Non-slip base material with high friction grip
- 5 year core foam and 4 year cover warranty
- Custom sizing and labeling available
- MADE IN AUSTRALIA

Premium Stretcher Mattress



Stabilizing sides

High density bars down each side help to prevent roll off and assist the patient during egress by increased side strength of the mattress.




Premium pressure relief

The special combination of foam densities and layers provide superior patient support.




Profile cut sides

Strategically placed reliefs allow this thicker and denser mattress to conform to the stretcher surface contouring.



Fluid proof zip

The unique zip design seals when closed to resist fluid penetration, with the added protection of a premium waterfall flap.



Non-slip base

A specially coated base fabric helps to prevent unwanted movement of the mattress and grip the stretcher surface without requiring mechanical fastenings. This allows quick access and fast cleaning of the patient surfaces.

Summary

The **Premia Forte** pressure relieving stretcher support surface is our high spec version of the standard Contour Premia mattress. The specialised core structure provides best protection to patients at risk of injury without compromising support in crucial areas. A Premiflex stretcher cover provides ultimate patient comfort and protection. This mattress delivers an effective outcome - combining both high risk pressure care and longevity for demanding stretcher applications.

Product Code

- Truncated End (hydraulic stretcher); MPT-CM-110-PRF
- Square Ends (electric stretcher); MPT-CM-110-PRPF

Mattress Size

- Standard; 680 W x 1900mm L
- Narrow; 570mm W x 1900mm L
- Wide; 830mm W x 1900mm L

Orbit-Drive

Taking patient transport to a new level in carer welfare with zero effort, 4-way power drive.



Features

- Forward, back and sideways powered drive
- Intuitive height adjustable controls with emergency stop
- Powerful electric drive centre steer wheel

Orbit-Drive



Adjustable controls

Lower the drive controls down below the mattress height for enhanced patient access and specialised accessory use.



Adaptable

Install the power drive system on many of the Contour stretcher models



Powerful drive

An electric driven wheel pressured onto the floor that provides excellent traction and center steering.



Sideways movement

The unique rotating design allows the stretcher to be driven in any direction - forwards, backwards and sideways!

Summary

Take all the human effort out of pushing and jostling stretchers with an intuitive and intelligent drive system designed for easy use by any operator. Natural movement controls the speed and direction of the stretcher with the ability to stop very quickly by pulling back.

Help prevent the most common carer strain injuries by taking the back twist out of moving a stretcher forwards, backwards and sideways. Importantly, we haven't overlooked safety features such as emergency stop and system lock out, which are standard. Add this system to our traditional vertical column stretcher designs such as Contour Barituff, Classic, Deluxe and Multi-X to improve both standard and Bariatric patient transport.

Product Code

- MPT-CA-EDU

Dropside Options

There are a range of dropside options available to customise any stretcher to suit your special requirements.



Features

- Multi-riser dropside options for closer spacings
- Split fold option for safer patient access
- Horizontal rail designs for longitudinal support
- Flush folding option for mattress transfer or x-ray
- Mid position lock option for easier patient access

Dropside Options



16 riser dropsides

Close up the spacing's to 100mm centers with extra risers for a safe side rail for patients requiring extra support.

Choice of folding from head end towards foot or foot end towards head (pictured).



7 riser dropsides

Close up the spacing's to 250mm centers with extra risers for a safe side rail for patients requiring extra support.

Choice of folding from head end towards foot (pictured) or foot end towards head.



Ideal for Endoscopy

Split folding dropsides

Enhance access to either the head or foot end of the patient without compromising safety.

Fold all four sections down together or independently. Supplied standard with mid-position catches.



Flush folding dropsides

Fold down the dropsides to flush with trolley top, allowing slide transfer of mattress or horizontal x-ray.

Uses the slim aluminium handrail section. Choice of folding from head end towards foot (pictured) or foot end towards head on any dropside riser configuration.



Mid-position lock

Pair of catches with a mid locking position for special access to the patient.

Choice of folding from head end towards foot (pictured) or foot end towards head. Supplied standard on split dropsides.



Deluxe dropsides

Full length glide-away siderails that provide horizontal support and a zero transfer gap.

Summary

We understand that there are different ways that patients must be transported and procedures performed. Safety comes first, which is why we've developed a selection of side rail options, to ensure you can have the right outcome for your department's requirements.

Product Codes

- 16 riser dropsides - MPT-CA-16RD
- 7 riser dropsides - MPT-CA-7RD
- Split fold dropsides - MPT-CA-SDS
- Flush fold dropsides - MPT-CA-FFD
- Mid position lock - MPT-CA-CMP
- Deluxe dropsides - MPT-C-D

Stretcher IV Poles

Include a standard removable or fold down IV Pole with your stretcher.

Features

- A strong and safe hook design
- Light and easy 'lift out' auto-lock hanger
- Non-rotational design to prevent tube tangling
- High strength locking for heavy loads
- Tough construction from stainless steel and nylon
- Easy 'pull-down' release from any angle
- Large 28mm diameter stand body for ease of pump mounting
- Friction retainer mount for effortless use
- Removable and permanent fold down options
- 705mm up to 1135mm total height
- 10kg weight capacity, 5kg per hook
- Only 1kg total weight

Product Code

- Standard IV Pole - MPT-CA-IVP
- Folding IV Pole - MPT-CA-FIV

Summary

Constructed tough from stainless steel and nylon, these clever non-rotational IV poles are designed to withstand the harshest use and make daily life easier by helping to prevent the tangling of critical soft tubing and cords. Simply lift out the hanger to any height and it automatically locks into an infinite position. Pull the lock body down from any direction to release and lower. The standard removable IV fits into all four corners of a stretcher top and stores underneath in the base if there is provision. The folding IV fits onto either end of the stretcher top and can be installed to fold down either to the left or right.



Standard IV storage



Folding IV Pole

Oxy Holders

A selection of coated stainless steel oxy bottle holders that can be mounted vertically or horizontally.

Features

- Tough, powder coated stainless steel basket construction
- Vertical basket size for up to 120mm diameter bottle; 320mm deep x 150mm wide
- A range of vertical mount positions - low, high with swivel or 45 and 90 degree fixed angles
- Horizontal basket size for up to 140mm diameter bottle; 600mm long x 180mm wide
- Horizontal basket can vary in hanging height depending on stretcher models; typically 280mm

Product Code

- Vertical Rail Mount - MPT-CA-VO2
- Vertical Corner Mount Swivel - MPT-CA-VCO2
- Vertical Corner Mount Fixed 45 - MPT-CA-VCO2-45
- Vertical Corner Mount Fixed 90 - MPT-CA-VCO2-90
- Vertical Corner High Mount Swivel - MPT-CA-VCUO2
- Vertical Corner High Mount Fixed 45 - MPT-CA-VCUO2-45
- Vertical Corner High Mount Fixed 90 - MPT-CA-VCUO2-90
- Horizontal Oxy Holder - MPT-CA-HO2

Summary

Due to so many wide and varied departmental requirements for specific oxy bottle sizes and positioning, we have developed a range of options. Larger bottles can be laid horizontally to ensure they are kept out of the way and smaller bottles are commonly mounted vertically. Some prefer 'fixed', non-moving positions and others require 'swinging' options that allow the bottles to be moved aside if they become an obstruction during transport. There is also the option to support bottles vertically both above and below the patient surface.



Vertical Corner Mount



Vertical Corner High Mount



Horizontal Oxy Holder



Horizontal Oxy Holder

Dropdown Push Handles

Strong fold-away handles with rubber grip for pushing the trolley.

Features

- Strong stainless steel construction
- Lift up and fold down
- Tough hygienic hand grips
- Tall head end handle option - 400mm high x 600mm wide (350mm between handles)
- Foot end handle option - 160mm high x 600mm wide (350mm between handles)

Product Codes

- Tall head end handles; MPT-CA-TDPH
- Foot end handles; PT-CA-DPH

Summary

To allow space for the many removable and common accessories used at the foot end of the stretcher, the handles are shorter to fold completely away with no obstruction to the accessory mounting positions. There is an option for a tall version of these handles to be mounted at the head end of the stretcher which provide high pushing points and ample clearance from the moving backrest.



Head end handles folded



Foot end handles



Foot end handles folded

Document Holder

Strong powder coated wire basket that is hung or mounted for document storage.

Features

- Ultra-tough, powder coated, 5mm steel wire construction
- External size; 390mm wide x 80mm deep x 230mm high
- Internal size; 380mm wide x 60mm deep x 225mm high
- Hang on the inside or outside of a stretcher end rail
- Wall and accessory mounting options

Product Code

- MPT-CA-DCH

Summary

Document holders can be used in a variety of ways for many different storage requirements. In the past we have mounted holders on either end or in special places around a stretcher, off accessories such as the dropdown foot board and even on the walls around the stretcher holding bays. We can customise sizes and designs and will work with you to ensure you can maximise department efficiency.



Removable holder

End Rail

An end rail that can help to retain the mattress, patient or be used as a push handle.

Features

- Strong, 25mm diameter coated stainless steel rail
- 600mm wide x 200mm high
- Fits into foot end or optional head end accessory sockets

Product Codes

- End rail; MPT-CA-FER
- Head end accessory sockets; MPT-CA-ASH (pair)

Summary

Quickly drop this rail into the accessory sockets (optional accessory on the head end of a stretcher, excludes Contour Vertex) and use it as a higher strong point to move the stretcher. This rail has a variety of additional uses such retaining a mattress or pillow from sliding off or a bar for a patient's feet to push against. These rails can be used on either end of the stretcher or both ends together.



Head end option



Both ends

End Board

An end board that can help to retain the mattress, patient or be used as a higher pushing position.

Features

- Strong, 25mm diameter powder coated steel rail
- Tough, hospital grade solid plastic infill
- 600mm wide x 345mm high
- Fits into foot end or optional head end accessory sockets

Product Codes

- End board; MPT-CA-FRTI
- Head end accessory sockets; MPT-CA-ASH (pair)

Summary

Quickly drop this board into the accessory sockets (optional accessory on the head end of a stretcher, excludes Contour Vertex) and use it as a higher strong point to move the stretcher. This end board has a variety of additional uses such retaining a mattress or pillow from sliding off or a flat surface for a patients feet to push against. These boards can be used on either end of the stretcher or both ends together.



Head end option



Both ends

Dropdown Foot Board

Padded fold-down foot board to increase the length of the patient surface.

Features

- High density foam covered in welded stretch material
- Tough board construction in a one-piece hospital grade plastic
- Stainless steel lift and lock folding hinge
- 530mm wide x 330mm high (250mm high cushion)
- Adds an extra 310mm to the length of a mattress

Product Code

- MPT-CA-DDF

Summary

Padded for patient comfort, the removable dropdown foot board has molded handles for pushing the stretcher and with a simple 'lift and lay' action, folds down to quickly increase the length of the mattress area.



Fold down

Folding Monitor Board

A strong frame with push handles and folding board with an adjustable tie strap for retaining a monitor.

Features

- Powder coated steel frame
- Cross bars for patient feet protection
- One-piece hospital grade plastic board
- 50mm wide adjustable tie strap
- 450mm wide x 400mm deep tray surface
- 600 wide x 470mm high from mattress base
- 15kg weight capacity

Product Code

- MPT-CA-FMB

Summary

Add this removable monitor board accessory to the foot end of a stretcher to provide a solid push handle and fold-away board for securely mounting a monitor. The board hangs vertically out of the way and can be easily rotated outward and over to a stable, internal, horizontal rest position.



Fold over to a table



Writing surface option



Writing surface extended

Folding Monitor-Foot Board

A strong frame with both a folding foot and monitor board with an adjustable tie strap for retaining a monitor.

Features

- Powder coated steel frame
- One-piece hospital grade plastic board construction
- 600 wide x 410 deep x 540mm high overall size
- 520mm wide x 380mm deep monitor tray
- Monitor tray is 540mm high from mattress base
- 15kg weight capacity
- 50mm wide adjustable tie strap for monitors
- 500 wide x 250mm high foot board
- Adds 320mm to the length of the mattress

Product Code

- MPT-CA-FMFB

Summary

Add this removable monitor board accessory to the foot end of a stretcher to provide a solid push handle and fold-away board for securely mounting a monitor. The board hangs vertically out of the way and can be easily rotated outward and over to a stable, internal, horizontal rest position. Padded for patient comfort, the dropdown foot board folds with a simple 'lift and lay' action to quickly increase the length of the mattress area.



Fold over to a table



Fold down foot board



Writing surface option



Writing surface extended

Weigh Scales

Add a weigh scale system to Contour Stretchers for ease of patient measuring and tracking.

Features

- 200g accuracy
- Auto off with weight memory function
- Freeze weight to allow for additional accessories
- Excludes Contour Portare stretcher models

Product Code

- MPT-CA-WS

Summary

Simply press the power button, allow to settle and zero the read out. Add the patient for an instant read at 200g accuracy. This system is designed to allow you to record the patients weight and then add or remove accessories as desired. There is no risk of power drain with the auto off and yet patient weight usefully retained for reference.



Easy to use

Stretcher Colour Options

A selection of colours to customise your Modsel stretchers for unique identification.

Features

- Tough extruded covers for a comfortable hand grip and bump protection
- Used on stretcher end rails and dropside hand rails
- Easy to replace for colour change or wear and tear

Product Code

- Forest Green - MPT-CC-FG
- Sunny Orange - MPT-CC-SO
- Flame Red - MPT-CC-FR
- Pastel Blue - MPT-CC-PB
- Midnight Blue - MPT-CC-MB
- Deep Violet - MPT-CC-DV
- Hot Pink - MPT-CC-HP

Summary

Customise your trolley end rail and dropside colours to suit your facility requirements. Our colour trims have been used in many ways such as departmental zoning between emergency, theatre and outpatients, highlighting special units such as wide top, x-ray, procedure, Bariatric or simply brightening up a children's ward.



Forest Green



Sunny Orange



Flame Red



Pastel Blue



Midnight Blue



Deep Violet

Dropside Padding

Provide extra protection for recovering patients with a selection of padded bumper systems for stretcher dropsides.



Features

- Stiff board backed bumper system
- Lift and roll feature allowing use without removal
- Quick install pocket system
- 25mm high density padding
- Welded cover materials for easy cleaning
- Sizes to fit any dropside style

Dropside Padding



Padded Bumpers

Stiff plastic backed bumpers with welded stretch padding that resists high limb force.



Unique access

Lift and roll to the outside of the dropside, allowing raise and lowering without removal.

Wall hanging point incorporated for easy storage.



Padded Pockets

Tough vinyl padding on both sides of the dropsides protecting both the patient and carer.



Removable design

Unclip and quickly lift off for unrestricted patient access and easy cleaning.



Sizing options

Both bumpers and pockets can be supplied as full length versions or to fit different dropside styles.

Summary

A recovering or restless patient can cause themselves serious harm on the metal risers and rails of standard dropsides. We have developed some ways for the carer to quickly and easily increase the level of protection and provide a soft, padded surface for patients limbs. Our board system can be flipped to the outside of the stretcher allowing the dropsides to be raised and lowered without having to remove the bumpers from the trolley. Pockets can slide on over the dropside which are quick to use, however must be removed to lower the sides.

Product Codes

- Padded Bumpers (pair); MPT-CA-PDB-P
- Padded Pockets (pair); MPT-CA-PDB-D

Meal Tray

Tough tray constructed from fluid proof board with a patient comfort cutaway.

Features

- Clips onto the stretcher dropside rail
- Board sizes to suite narrow, standard and wide stretcher tops
- Very tough, easy to clean fluid proof design

Product Code

- MPT-CA-MLT

Summary

Quickly add this compact meal tray which can be supplied to clip onto the stretcher dropside. The tray is constructed of a tough, one piece medical grade board that is very easy to clean. There is a recess to ensure patient comfort. This tray can be customised to any shape or size if required.



Notes
